

Railway Diesel Locomotive Starting Batteries KDZ-2701 and KDZ-3001

COMPACT & DEPENDABLE LOCOMOTIVE STARTING

4-Cell Monobloc Container

 High-Impact Polyethylene Container and Cover

Individual Cell

- Heat Sealed, High-Impact Polypropylene Jar and Cover
- Molded Terminal Seal

Specific Gravity (nominal) Fully Charged

1.250 at 77° F (25° C)

Separators

Microporous Polyethylene Material

Electrolyte Reserve (nominal)

2.15" Above Plates

Inter-Tray Connectors

Insulated Flexible Cable, Bolted

Positive Plates

Low Antimony (4.5%) Alloyed Lead Grids

Negative Plates

Low Antimony (3.2%) Alloyed Lead Grids

Plate Retainers

- Horizontally Wrapped Glass Mat
- Folded Perforated Envelope
- Molded Plastic Bottom Plate Shield

Discharge Data to 1.0 Volts Per Cell

KDZ-2701 1 minute: 2100 A

5 seconds: 2700 A



KDZ-2701



KDZ-3001

KDZ-3001 1 minute: 2600 A

5 seconds: 3000 A

PLATE DIMENSIONS

Plate	Hei	ght	Wie	dth	Thickness		
	inches	mm	inches	mm	inches	mm	
Positive	11.02	280	5.80	147	0.215	5.5	
Negative	11.02	280	5.80	147	0.150	3.8	


SPECIFICATIONS


Unit Type	Cells per Unit	Plates per Cell	Amp. Hr. Capacities, 1.250 Specific Gravity at 77 F to 1.75 VPC average		Unit Dimensions						Approx. Net Weight per Unit	
			8 Hour Rate	Length		Width		Height				
				inches	mm	inches	mm	inches	mm	lbs.	kg.	
KDZ-2701	4	19	450	28.5	724	8.2	208	18.5	470	296	135	
KDZ-3001	4	25	600	28.5	724	11.2	284	18.5	470	400	182	


Design and/or specifications subject to change without notice.

CONNECTING DIAGRAMS FOR KDZ-2701 AND KDZ-3001 BATTERIES

Side-to-Side Terminal Arrangement







ESTABLISHED RELIABILITY AND PERFORMANCE

For over a century, GNB Industrial Power has been a technological leader in the development of industrial lead acid batteries. GNB's continuing commitment to research and development and listening to what customers need has led to significant improvements in the design of our railway diesel locomotive starting batteries.

GNB Industrial Power
A division of Exide Technologies
USA – Tel: 800.GNB.RAIL (800.462.7245)

618 Cepi Drive, Suite B Chesterfield, MO 63005 www.tpscrail.com



GB3705 2006-10

A Division of **EXIDE** Technologies